

Introduction to Tree Adjoining Grammar

XTAG-Analyses of Syntactic Phenomena

Timm Lichte

DGfS-CL Fall School 2011

2. week, 2. session

06.09.2011




Outline

- 1 The XTAG-grammar
- 2 Complementation
 - NP- and PP-complements
 - Sentential complements
 - Control
 - Raising
 - Small clauses
- 3 Extraction
 - Unbounded dependency
 - Islands for extraction
 - Subject-auxiliary inversion
 - Relative clauses

The XTAG-project


... was located at the University of Pennsylvania (ca. 1988-2001)




URL: <http://www.cis.upenn.edu/~xtag/>

Manual: [XTAG Research Group, 2001]


The architecture of the XTAG-grammar



Example: **Tree template** for the declarative transitive verb ($\alpha n x 0 V n x 1$), where \diamond marks the lexical insertion site:



The architecture of the XTAG-grammar



A tree family

- is a set of tree templates,
- represents a subcategorization frame, and
- unifies all syntactic configurations the subcategorization frame can be realized in.


Example: $\alpha n x 0 V n x 1 \in T n x 0 V n x 1$

Lexical insertion

Lexical insertion

Drawing an edge between the lexical anchor and the lexical insertion site

- prior to substitution and adjunction
- The feature structures of the **lexical anchor** and the **insertion site** unify.



The architecture of the XTAG-grammar - Counts

subcategorization frame	# tree fam.	# tree temp.
intransitive	1	12
transitive	1	39
adjectival complement	1	11
ditransitive	1	46
prepositional complement	4	182
verb particle constructions	3	100
light verb constructions	2	53
sentential complement (full verb)	3	75
sentential subject (full verb)	4	14
idioms (full verb)	8	156
small clauses/predicative	20	187
equational 'be'	1	2
ergative	1	12
resultatives	4	101
it clefts	3	18
total	57	1008


(from [Prolo, 2002])

Outline


- 1 The XTAG-grammar
- 2 Complementation
 - NP- and PP-complements
 - Sentential complements
 - Control
 - Raising
 - Small clauses
- 3 Extraction
 - Unbounded dependency
 - Islands for extraction
 - Subject-auxiliary inversion
 - Relative clauses

Complementation with NPs and PPs: The base cases


Complementation with NPs:



Complementation with PPs: substitution or co-anchor




Case assignment and subject-verb agreement




Case assignment and subject-verb agreement

Two modes of case assignment in tree templates:

- Direct case assignment with case
- Indirect case assignment with assign-case
 \Rightarrow by the lexical anchor (during lexical insertion) or by adjoining trees



Case assignment and subject-verb agreement



Sentential complement structures

In XTAG, a distinction is drawn between sentential complements with (1) **finite verbs**, sentential complements with (2) **to-infinitives**, and (3) **small clauses**.

- (1) a. Kim said [that Sandy left]. (finitive)
b. Dana preferred [for Pat to get the job]. (to-infinitive)
c. Leslie wanted [Chris to go].
d. Lee believed [Dominique to have made a mistake].
e. René tried [PRO to win].
f. [Kims] seems [to be happy].
g. Tracy proved [the theorem false]. (small clauses)
h. Bo considered [Lou a friend].
i. Gerry expects [those children off the ship]
(from [Pollard and Sag, 1994])

To-infinitives: Controlling and Raising its subject

XTAG assumes different syntactic structures/derivations for superficially very similar sentences:

- (2) a. John tries [PRO to leave].
b. [John] seems [to leave].

Why is that?

XTAG adopts the **projection principle** from GB [Chomsky, 1981], according to which “meaning maps transparently into syntactic structure” [Culicover and Jackendoff, 2005, 47], such that the following equivalence relation holds:

Complement of the verb \Leftrightarrow Argument of the predicate

\Rightarrow θ -criterion for TAG from [Frank, 2002]

To-infinitives: Controlling and Raising its subject

Complement of the verb \Leftrightarrow Argument of the predicate


- (3) John tries to leave.

\Rightarrow *John* is the complement of both *tries* and *to leave*.
 \Rightarrow Empty element (PRO) is used to avoid complement sharing.
 \Rightarrow PRO needs to be “controlled”.
 \Rightarrow **Control**

- (4) John seems to leave.


\Rightarrow *John* is not the complement of *seems*.
 \Rightarrow Argumenthood is the primary syntactic factor, not agreement!
 \Rightarrow An alien complement looks like a regular complement.
 \Rightarrow **Raising**

Raise or control?



- Classification game:

- (5) a. They asked Jan to leave. (object control)
b. Bo turns out to be obnoxious. (subject raising)
c. Sandy is willing to go to the movies. (subject control)
d. Terry was expected to win the prize. (subject raising)
e. Kim believed a unicorn to be approaching. (object control)



- Classification game:

- (6) a. It is important for Bill to dance.
 b. Christy left the party early to go to the airport.
 c. Peter kept standing in the doorway.


Control verbs

Control verbs establish the coreference between their subject/object and the unexpressed subject (PRO) of their sentential complement. (PRO control)

- (7) a. John tried [PRO to leave]. (subject control)
 b. John persuaded him [PRO to leave]. (object control)
 c. *There tries [PRO to be disorder after a revolution].

⇒ Control verbs assign semantic role to the controller!

- control feature for coindexation
- PRO tree or PRO as coanchor of the verb



Raising verbs

Raising verbs determine case and agreement properties of the subject complement of the (non-finite) sentential complement. Since the "raised" constituent is no immediate part of the argument structure of the raising verb, this is called **Exceptional Case Marking (ECM)**.

- (8) a. [John] seems [to leave]. (subject raising)
 b. Sue expects [him to leave]. (object raising)
 c. [There] seems [to be disorder after a revolution].
 d. John expected [it to rain].

⇒ allow for expletive pronouns (*it/there*)


- (9) John seems unhappy.
 *John tries unhappy.

⇒ allow for **small clauses**

Raising verbs - XTAG-Analysis (1)

- no PRO
- The “raised” constituent is still part of the to-infinitive!
- ECM via assign-case feature

Example for subject raising:



“Ist's eins? Sind's zwei?” (Goethe, 1819)

Question:

What complements does the verb *consider* take?

- (11) a. We consider [Kim to be an acceptable candidate].
 b. We consider [Kim an acceptable candidate].
 c. We consider [Kim quite acceptable].
 d. We consider [Kim among the most acceptable candidates].
 e. *We consider [Kim as an acceptable candidate].


Similar verbs: *prove, expect, rate, count, want*

- 1 One sentential complement (small clause), where *to be* can be omitted
- 2 A noun and a predicative phrase

Raising verbs - XTAG-Analysis (2)

Example for object raising:

(10) We expect him to leave.



Small clauses - Pro and contra (1)

Pro:

- Homomorphism between argument structure and complement structure (in GB: Projection Principle, UTAH; in TAG: θ -Criterion)
- Uniformity of the subcategorized constituents:

Instead of NP, AP, PP, IP/S, ... as possible categories of the complements, there is only one complement category.

Contra:

- Passivization (object-to-subject shift)



(12) We considered [Kim quite acceptable].
 Kim was considered [__ quite acceptable].

- Idiosyncratic restrictions on the predicative phrase

(13) a. I consider/*expect [this Island a good vacation spot].
 b. I consider/*expect [this man stupid].
 I expect [that man to be stupid].
 c. We rate/*consider [Kim as quite acceptable]

⇒ The verb should be indifferent to the categorial status of the small clause predicate!


(14) We consider Kim acceptable.



Small clauses have the structure of regular sentences, except that the verb is missing.

⇒ The superordinate verb is represented as auxiliary tree that adjoins at VP or S.

(15) Kim seems acceptable.



⇒ *seems* adjoins to VP

⇒ ECM for nominative case

control verbs	raising verbs
assign semantic role (to the controlled subject)	assign <u>no</u> semantic role (to the raised subject)
PRO (incomplete sent. complement)	no PRO (complete sent. complement)
assign <u>no</u> case (to the controlled subject)	assign case via ECM (to the raised subject)
no small clauses	small clauses
XTAG: adjoin to S	XTAG: adjoin to S or VP

Outline

- 1 The XTAG-grammar
- 2 Complementation
 - NP- and PP-complements
 - Sentential complements
 - Control
 - Raising
 - Small clauses
- 3 Extraction
 - Unbounded dependency
 - Islands for extraction
 - Subject-auxiliary inversion
 - Relative clauses

The movement metaphor:

- Relating syntactic configurations in a derivational hierarchy.
- **Traces** and **coindexation** are used to express derivational subordination.

Topicalization/Extraction:

Placing a post-verbal constituent into a sentence-initial position.

- (16) a. Sandy loves Kim. (base configuration)
- b. Kim_i, Sandy loves _i. (NP-topicalization)
- c. On Kim_i, Sandy depends _i. (PP-topicalization)

Wh-extraction - Basics


Wh-Extraction:

Placing a constituent **as wh-phrase** into a clause-initial position.


- (17) a. I wonder [who_i Sandy loves _i]. (indirect question)
- b. Who_i does Sandy love _i. (direct question)
- c. Sandy loves Kim_i; [who_i Irmgard hates _i]. (relative clause)

Extraction - Tree templates

subject extraction
($\alpha W0nx0V$)



object extraction
($\alpha W1nx0Vnx1$)



Unbounded dependency


Unbounded dependency:

The dependency between an extracted constituent and its trace may extend **across arbitrarily many clause boundaries**.


- (18) a. Kim_i, Sandy loves ___j .
 b. Kim_i, Chris knows [Sandy loves ___j].
 c. Kim_i, Dana believes [Chris knows [Sandy loves ___j]].
- (19) a. I wonder [who_i Sandy loves ___j].
 b. I wonder [who_i Chris knows [Sandy loves ___j]].
 c. I wonder [who_i Dana believes Chris knows [Sandy loves ___j]].

Extraction - Tree templates

preposition stranding
($\alpha W1nx0VPnx1$)




adjective complement extraction
($\alpha WA1nx0Vax1$)



Unbounded dependency - XTAG-analysis (outline)

- (20) Kim_i, Dana believes [Chris knows [Sandy loves ___j]].



⇒ extended domain of locality and factoring of recursion (recursive adjunction)

- **Adjuncts:**

(21) *[Which movie]_i did Gorgette fall asleep [after watching ___]_i.

⇒ No such elementary tree for the adjunct!

- **Coordination**

(22) *Who_i did Sandy love [____i and Kim].

⇒ No such elementary trees for the coordinated NP and for the governing verb!

- **Finite sentences with complementizer** (subject extraction)
(In GB: Empty Category Principle/Subjacency):

(23) *Who_i did Alice say [that ____i left].
Who_i did Alice say [____i left].

⇒ No such elementary trees!

- **Finite sentences with complementizer** (object extraction)

(24) *Who_i did the elephant whisper [that the emu saw ____i] ?
Who_i did the elephant say [that the emu saw ____i] ?

⇒ Filtering by features:

comp = nil, where non-bridge verbs attach (*whisper*)

comp = nil/that, where bridge verbs attach (*say*)

Subject-auxiliary inversion

The auxiliary verb ('do', 'have', 'be', 'can', ...) precedes the subject.

- **No subject-auxiliary inversion** in embedded wh-questions:

(25) a. I wonder [what_i John reads ____i].
b. *I wonder [what_i **does** John read ____i].

- **Obligatory subject-auxiliary inversion** in direct questions with object extraction:

(26) a. What_i **does** John read ____i?
b. *What_i John **does** read ____i?
c. *What_i John reads ____i?

- **No subject-auxiliary inversion** in topicalization:


(27) a. *This report_i **does** John read ____i.
b. This report_i; John **does** read ____i.

Features for extraction:

- extracted := {+,-}
⇒ to indicate extraction in the S-node
- wh := {+,-}
⇒ to indicate the presence of a wh-pronoun
- inv := {+,-}
⇒ to indicate inversion
- invlink := {+,-}
⇒ to link wh und inv via the **root restriction**

Subject-auxiliary inversion - XTAG-analysis (2)

Tree template for object extraction (simplified):




Subject-auxiliary inversion - XTAG-analysis (4)

No subject-auxiliary inversion in embedded wh-questions:


⇒ sentential complement with wh = +, inv = - in the root node

(28) I wonder [who; people love ___].



Subject-auxiliary inversion - XTAG-analysis (3)

Elementary tree object extraction (even more simplified):




Subject-auxiliary inversion - XTAG-analysis (5)

Obligatory subject-auxiliary inversion in direct questions:

⇒ In the root node: wh = +, inv = +

(29) Who; does Sandy love ___?



Problem:

How to impose that $wh = inv$ in non-embedded sentences?

Root restriction

“A restriction is imposed on the **final root node** of any XTAG derivation of a tensed sentence which equates the wh feature and the $invlink$ feature of the final root node.” [XTAG Research Group, 2001, 298]

Effects:

- Only in non-embedded object extractions the wh -pronoun depends on inversion and vice versa.
- The same tree can be used for embedded and non-embedded object extraction.